Please type a plu	IS LLP.	→♣		PH	/ TECH C	- L	
	······································		Application Number	09/910,186	ENTER 1600/2900	MAY	•
TRA	TRANSMITTAL FORM (to be used for all correspondence after initial filing)		Filing Date	July 20, 2001		© &	-
			First Named Inventor	Smith et al.	3,00%	2002	
(to be used for a			Group Art Unit	1645	8		
			Examiner Name	ТВА			٠
Total Number	of Pages in This Submis	ssion	Attorney Docket Number	A33626-A 067252.0107		İ	
		ENCL	OSURES (check	all that apply)		l	
	y eclaration(s) Request nent Request sure Statement riority ng Parts/	Petition Petition Provisio Change Address Termina Reques	to Convert to a nal Application of Correspondence It Disclaimer the for Refund of CD(s)	Appeal Communication to Boa of Appeals and Interferences Appeal Communication to Grow (Appeal Notice, Brief, Reply Brief) Proprietary Information Status Letter Other Enclosure(s) (please identify below): Form 1449 and 125 documents in sec (7) bound volumes	up		
Firm or Individual name		12a 112	CANT, ATTORNEY, OR A Att Name: PTO Reg:	Rochelle K. Seide			

CERTIFICATE OF MAILING					
I hereby certify that this correspo mail in an envelope addressed to	ndence is being deposited with the United States Postal Service with sufficient postage as first class. Commissioner for Patents, Washington, DC 20231 on this date: April 26, 2002				
Typed or printed name	Rochelle K. Seide				
Signature	Date April 26, 2002				



FEE TRANSMITTAL for FY 2002

Patent fees are subject to annual revision.

TOTAL AMOUNT OF PAYMENT

(\$)	(
(' '	

Co		
Application Number	09/910,186	= = = = = = = = = = = = = = = = = = = =
Filing Date	July 20, 2001	ō
First Named Inventor	Smith et al.	00/24
Examiner Name	TBA	, S
Group Art Unit	1645	2
Attorney Docket No.	A33626-A 067252.0107	

METHOD OF PAYMENT	FEE CALCULATION (continued)			
The Commissioner is hereby authorized to charge indicated foca and aredit any every property to:	3. ADDITION	NAL FE	ES	
Deposit Deposit	Large	Sma		
Account Number 02-4377	Entity Fee	Entit Fee	Fee Description	Fee Paid
Denosit	(\$)	(\$)	r ee Description	100100
Account Name Baker Botts LLP	130	65	Surcharge - late filing fee or oath	
Charge Any Additional Fee Required Under 37 CFR 1.16 and 1.17	50	25	Surcharge - late provisional filing fee or cover sheet	
Applicant claims small entity status.	130	130	Non-English specification	
See 37 CFR 1.27	2,520	2,520	For filing a request for ex parte reexamination	
2. Payment Enclosed: Check Credit card Money Other	920*	920*	Requesting publication of SIR prior to Examiner action	
FEE CALCULATION	1,840*	1,840°	Requesting publication of SIR after Examiner action	
1. BASIC FILING FEE	110	55	Extension for reply within first month	
Large Entity Small Entity	400	200	Extension for reply within second month	
Fee Fee Description (\$) (\$) Fee Paid	920	460	Extension for reply within third month	
740 370 Utility filing fee	1,440	720	Extension for reply within fourth month	
330 165 Design filing fee	1,960	980	Extension for reply within fifth month	
510 255 Plant filing fee	320	160	Notice of Appeal	
740 370 Reissue filing fee	320	160	Filing a brief in support of an appeal	
160 80 Provisional filing fee	280	140	Request for oral hearing	
SUPTOTAL (4) (C) O	1,510	1,510	Petition to institute a public use proceeding	
SUBTOTAL (1) (\$) 0	110	55	Petition to revive - unavoidable	
2. EXTRA CLAIM FEES	1,280	640	Petition to revive - unintentional	
Extra Claims below Fee Paid	1,280	640	Utility issue fee (or reissue)	
Total Claims 20 = 0 X = 0	460	230	Design issue fee	
Claims = U	620	310	Plant issue fee	
Multiple Dependent	130	130	Petitions to the Commissioner	
Large Entity Constl. Cation	50	50	Processing fee under 37 CFR 1.17(q)	
Large Entity Fee Fee Description	180	180	Submission of Information Disclosure Stmt	
(\$) (\$) 18 9 Claims in excess of 20	40	40	Recording each patent assignment per property (times number of properties)	
84 42 Independent claims in excess of 3	740	370	Filing a submission after final rejection (37 CFR § 1.129(a))	
280 140 Multiple dependent claim, if not paid	740	370	For each additional invention to be	
84 42 ** Reissue independent claims over original patent		0.0	examined (37 CFR § 1.129(b))	
18 9 ** Reissue claims in excess of 20	740	370	Request for Continued Examination (RCE)	
and over original patent	900	900	Request for expedited examination	
SUBTOTAL (2) (\$) 0	Other fee (specif	y)	of a design application	
**or number previously paid if greater; For Reissues, see above	sic Filing	Fee Paid SUBTOTAL (3) (\$) 0		
**or number previously paig_if greater; For Reissues, see above *Reduced by Basic Filing Fee Paid *SUBTOTAL (3) (5) U				

SUBMITTED BY

Name (Print/Type)

Registration No. (Attorney/Agent)

Signature

Complete (if applicable)

Telephone (212) 408-2626

Date April 26, 2002

BAKER BOTTS LLP

Attorney Docket Number: A33626-A 067252.0107

Title:

RECOMBINANT VACCINE AGAINST BOTULINUM NEUROTOXIN



Use Space Below for Additional Information:



NITED STATES PATENT AND TRADEMARK OFFICE

Applicant

Smith et al.

Serial No.

09/910,186

Examiner

TBA

Filed

July 20, 2001

Group Art Unit:

1645

For

RECOMBINANT VACCINE AGAINST BOTULINUM NEUROTOXIN

INFORMATION DISCLOSURE STATEMENT

I hereby certify that this paper is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231

> April 26, 2002 Date of Deposit

Rochelle K. Seide

32,300

PTO Registration No.

April 26, 2002

Date of Signature

Hon. Commissioner of Patents and Trademarks Washington, D.C. 20231

Dear Sir:

In accordance with 37 C.F.R. § 1.56, Applicants respectfully request that the references relating to the above-mentioned application listed herein in reverse chronological alphabetical order be considered and made of record in the U.S. Patent and Trademark Office.

- 1. Ahmed SA et al., 2001, "Enzymatic autocatalysis of botulinum A neurotoxin light chain" *J. Protein Chem.* **20**(3):221–231;
- 2. Schmidt JJ et al., 2001, "High-throughput assays for botulinum neurotoxin proteolytic activity: serotypes A, B, D, and F" *Analytical Biochemistry* **296**:130–137;
- 3. URL:http://www.cdc.gov/ncidod/srp/drugservice/immuodrugs.htm, 2001, "Immunobiologic Agents and Drugs Available from the Centers for Disease Control. Descriptions, Recommendations, Adverse Reactions and Serologic Response" Centers for Disease Control, Atlanta, GA;
- 4. Ahmed SA et al., 2000, "Light chain of botulinum A neurotoxin expressed as an inclusion body from a synthetic gene is catalytically and functionally active" *J. Protein Chem.* 19(6):475–487;
- 5. Alderton JM et al., 2000, "Evidence for a vesicle-mediated maintenance of store-operated calcium channels in a human embryonic kidney cell line" *Cell. Calcium* 28(3):161–169;
- Byrne MP et al., 2000, "Fermentation, purification, and efficacy of a recombinant vaccine candidate against botulinum neurotoxin type F from Pichia pastoris" *Protein Expr Purif.* 18(3):327-337;
- 7. Dalbey RE et al., 2000, "Evolutionarily related insertion pathways of bacterial, mitochondrial, and thylakoid membrane proteins" *Annu. Rev. Cell Dev. Biol.* 16:51–87;
- 8. Ettinger RA et al., 2000, "Beta 57-Asp plays an essential role in the unique SDS stability of HLA-DQA1*0102/DQB1*0602 alpha beta protein dimer, the class II MHC allele associated with protection from insulin-dependent diabetes mellitus" *J. Immunol* 165:3232–3238;
- 9. Kadkhodayan S et al., 2000, "Cloning, expression, and one-step purification of the minimal essential domain of the light chain of botulinum neurotoxin type A" *Protein Expr. Purif.* 19(1):125–130;
- 10. Knapp M et al., 2000, "The crystal structure of botulinum toxin A zinc protease domain." Presented at the 37th Annual Meeting of the Interagency Botulinum Research Coordinating Committee, October 17-20, 2000, Alisomar, California;
- 11. Li L et al., 2000, "Role of zinc binding in type A botulinum neurotoxin light chain's toxic structure" *Biochemistry* **39**:10581–10586;
- 12. Smith LA et al., WO 00/67700 published November 16, 2000;
- 13. Strasser A et al., 2000, "Apoptosis signaling" Annu. Rev. Biochem 69:217–245;

NY02:374348.1 - 2 -

- 14. Cai S et al., 1999, "Enhancement of the endopeptidase activity of botulinum neurotoxin by its associated proteins and dithiothreitol" *Biochemistry* 38:6903–6910;
- 15. Claiborne A et al., 1999, "Protein-sulfenic acids: diverse roles for an unlikely player in enzyme catalysis and redox regulation" *Biochemistry* 38:15407–15416;

- 16. Lacy DB et al., 1999, "Sequence homology and structural analysis of the clostridial neurotoxins" *J. Mol. Biol.* 291:1091–1104;
- 17. Li L et al., 1999, "High-level expression, purification, and characterization of recombinant type A botulinum neurotoxin light chain" *Protein Expr. Purif.* 17:339–344;
- 18. Li L et al., 1999, "In vitro translation of type A Clostridium botulinum neurotoxin heavy chain and analysis of its binding to rat synaptosomes" *J Protein Chem.* 18(1):89-95;
- 19. Williams JA, U.S. Pat. No. 5,919,665 issued July 6, 1999;
- **20.** Byrne MP et al., 1998, "Purification, Potency, and Efficacy of the Botulinum Neurotoxin Type A Binding Domain from *Pichia pastoris* as a Recombinant Vaccine Candidate," *Infect. Immun.* **66**:4817-4822;
- 21. Fu F et al., 1998, "Role of zinc in the structure and toxic activity of botulinum neurotoxin" *Biochemistry* 37:5267–5278;
- 22. Lacy DB et al., 1998, "Crystal Structure of Botulinum Neurotoxin Type A and Implications for Toxicity," *Nat. Struct. Biol.* 5:898-902;
- Nowakowski JL et al., 1998, "Production of an expression system for a synaptobrevin fragment to monitor cleavage by botulinum neurotoxin B" *J. Protein Chem.* 17:453–462;
- 24. Potter KJ et al., 1998, "Production and purification of the heavy-chain fragment C of botulinum neurotoxin, serotype B, expressed in the methylotrophic yeast Pichia pastoris" *Protein Expr Purif.* 13(3):357-365;
- 25. Schmidt JJ et al., 1998, "Type A botulinum neurotoxin proteolytic activity: development of competitive inhibitors and implications for substrate specificity at the S1' binding subsite" *FEBS Lett.* 435:61–64;
- Smith LA, 1998, "Development of recombinant vaccines for botulinum neurotoxin" *Toxicon.* **36**(11):1539-48;

NY02:374348.1 - 3 -

27. Williams JA, WO 98/08540 published March 5, 1998;

VOLUME 4

- 28. Adler M et al., 1997, "Protection by the heavy metal chelator N,N,N',N'-tetrakis (2-pyridylmethyl)ethylenediamine (TPEN) against the lethal action of botulinum neurotoxin A and B" *Toxicon* 35:1089–1100;
- 29. Brown DR et al., 1997, "Identification and Characterization of a Neutralizing Monoclonal Antibody Against Botulinum Neurotoxin, Serotype F, Following Vaccination with Active Toxin," *Hybridoma*, 16:447-456;
- 30. Chen F et al., 1997, "Antibody mapping to domains of botulinum neurotoxin serotype A in the complexed and uncomplexed forms" *Infect. Immun.* 65:1626–1630;
- 31. Chiruvolu V et al., 1997, "Recombinant Protein Expression in an Alcohol Oxidase-Defective Strain of *Pichia pastoris* in Feed-Batch Fermentations, *Enzyme Microbiol. Technol.* 21:277-283;
- 32. Kiyatkin N et al., 1997, "Induction of an immune response by oral administration of recombinant botulinum toxin" *Infect. Immun.* 65:4586–4591;
- 33. Lebeda FJ et al., 1997, "Predicting Differential Antigen-Antibody Contact Regions Based on Solvent Accessibility," *J. Protein Chem.* 16:607-618;
- 34. Schmidt JJ et al., 1997, "Endoproteinase activity of type A botulinum neurotoxin: substrate requirements and activation by serum albumin" *J. Protein Chem.* 16(1):19–26;
- 35. Sheridan RE et al., 1997, "Structural features of aminoquinolines necessary for antagonist activity against botulinum neurotoxin" *Toxicon* 35:1439–1451;
- Washbourne P et al., 1997, "Botulinum neurotoxin types A and E require the SNARE motif in SNAP-25 for proteolysis" *FEBS Lett.* **418**:1–5;
- **37.** Williams JA et al., U.S. Pat. No. 5,601,823 issued February 11, 1997;
- 38. Dertzbaugh MT et al., 1996, "Mapping of protective and cross-reactive domains of the type A neurotoxin of Clostridium botulinum" *Vaccine* 14:1538–1544;
- **39.** Foran P et al., 1996, "Botulinum neurotoxin C1 cleaves both syntaxin and SNAP-25 in intact and permeabilized chromaffin cells: correlation with its blockade of catecholamine release" *Biochemistry* **35**:2630–2636;

NY02:374348.1 - 4 -

- **40.** Auld DS, 1995, "Removal and replacement of metal ions in metallopeptidases" *Meth. Enzymol.* **248**:228–242;
- 41. Bi GQ et al., 1995, "Calciúm-regulated exocytosis is required for cell membrane resealing" *J. Cell Biol.* 131:1747–1758;
- 42. Cardoso F et al., 1995, "Clinical use of botulinum neurotoxins". In *Current Topics in Microbiology and Immunology* (Capron A et al., eds.), Springer-Verlag, Germany, 195:123-141;
- 43. Clayton MA et al., 1995, "Protective vaccination with a recombinant fragment of Clostridium botulinum neurotoxin serotype A expressed from a synthetic gene in Escherichia coli" *Infect Immun.* 63(7):2738-2742;
- 44. Klatt P et al., 1995, "Structural analysis of porcine brain nitric oxide synthase reveals a role for tetrahydrobiopterin and L-arginine in the formation of an SDS-resistant dimer" *EMBO J.* 14:3687–3695;
- 45. LaPenotiere HF et al., 1995, "Expression of a large, nontoxic fragment of botulinum neurotoxin serotype A and its use as an immunogen" *Toxicon.* 33(10):1383-1386;
- **46.** Montecucco C et al., 1995, "Structure and function of tetanus and botulinum neurotoxins" *Q. Rev. Biophys.* **28**:423–472;
- 47. Oguma K et al., 1995, "Structure and Function of *Clostridium botulinum* Toxins" *Microbiol. Immunol.* 39:161-168;
- **48.** Pace CN et al., 1995, "How to measure and predict the molar absorption coefficient of a protein" *Protein Sci.* 4:2411–2423;

- **49.** Romanos MA et al., 1995, "Expression of Cloned Genes in Yeast," *DNA Cloning 2: Expression Systems*," (Glover D., et al., Eds.), Oxford Univ. Press, London, pp. 123-167;
- 50. Schiavo G et al., 1995, "Intracellular targets and metalloprotease activity of tetanus and botulinum neurotoxins." In *Clostridial Neurotoxins: The Molecular Pathogenesis of Tetanus and Botulism* (Montecucco, C., ed.), Springer, New York, pp. 257–273;
- 51. Schmidt JJ et al., 1995, "Proteolysis of synthetic peptides by type A botulinum neurotoxin" *J. Protein Chem.* 14(8):703–708;
- 52. Shone CC et al., 1995, "Growth of clostridia and preparation of their neurotoxins" *Curr. Top. Microbiol. Immunol.* 195:143–160;

NY02:374348.1 - 5 -

- 53. Zhou L et al., 1995, "Expression and purification of the light chain of botulinum neurotoxin A: a single mutation abolishes its cleavage of SNAP-25 and neurotoxicity after reconstitution with the heavy chain" *Biochemistry* 34(46):15175–15181;
- 54. Foran P et al., 1994, "Differences in the protease activities of tetanus and botulinum B toxins revealed by the cleavage of vesicle-associated membrane protein and various sized fragments" *Biochemistry* 33:15365–15374;
- 55. Krieglstein KG et al., 1994, "Covalent structure of botulinum neurotoxin type A: location of sulfhydryl groups, and disulfide bridges and identification of C-termini of light and heavy chains" *J. Protein Chem.* 13:49-57;
- 56. Lebeda FJ et al.:1994, "Secondary structural predictions for the clostridial neurotoxins" *Proteins* 20:293–300;
- 57. Li Y et al., 1994, "A single mutation in the recombinant light chain of tetanus toxin abolishes its proteolytic activity and removes the toxicity seen after reconstitution with native heavy chain" *Biochemistry* 33:7014–7020;
- 58. Montecucco C et al., 1994, "Mechanism of action of tetanus and botulinum neurotoxins" *Mol. Microbiol* 13:1–8;
- Nishiki TI et al., 1994, "Identification of Protein Receptor for *Clostridium botulinum* Type B Neurotoxin in Rat Brain Synaptosomes" *J. Biol. Chem.* **269**:10498-10503;
- 60. Rossetto O et al., 1994, "SNARE motif and neurotoxins" *Nature* 372:415–416;
- 61. Schiavo G et al., 1994, "Botulinum G neurotoxin cleaves VAMP/synaptobrevin at a single Ala-Ala peptide bond" *J. Biol. Chem.* **269**:20213–20216;
- 62. Scorer CA et al., 1994, "Rapid Selection Using G418 of High Copy Number Transformants of *Pichia pastoris* for High-Level Foreign Gene Expression," *Bio/Technology*, **12:**181-184;
- Shone CC et al., 1994, "Peptide substrate specificity and properties of the zincendopeptidase activity of botulinum type B neurotoxin" *Eur. J. Biochem.* 225:263–270;
- 64. Steinhardt RA et al., 1994, "Cell membrane resealing by a vesicular mechanism similar to neurotransmitter release" *Science* 263:390–393;
- 65. Baltz RH et al., eds., 1993, *Industrial Microorganisms: Basic and Applied Molecular Genetics*, American Society for Microbiology, Washington, D.C., pp. 122-126;
- Blasi J et al., 1993, "Botulinum neurotoxin A selectively cleaves the synaptic protein SNAP-25" *Nature* **365**:160–163;

NY02:374348.1 - 6 -

- 67. Campbell KD et al., 1993, "Gene probes for identification of the botulinal neurotoxin gene and specific identification of neurotoxin types B, E, and F" *J Clin Microbiol*. 31(9):2255-2262;
- **68.** Carroll SB, U.S. Pat. No. 5,196,193 issued March 23, 1993;
- 69. Cregg JM et al., 1993, "Recent Advances in the Expression of Foreign Genes in *Pichia pastoris*," *Bio/Technology*, 11:905-910;
- de Paiva A et al., 1993, "A role for the interchain disulfide or its participating thiols in the internalization of botulinum neurotoxin A revealed by a toxin derivative that binds to ecto-acceptors and inhibits transmitter release intracellularly" J. Biol. Chem. 268:20838–20844;
- 71. Dertzbaugh M et al., May 1993, "Cloning and Expression of Peptides derived from the botulinum neurotoxin serotype A gene" 93rd American Society for Microbiology General Meeting, Atlanta, GA, Session 334, E-105, p.161;
- 72. Gimenez JA et al., 1993, "Botulinum Type A neurotoxin digested with pepsin yields 132, 97, 72, 45, 42, and 18 kD fragments" *J Protein Chem.* 12(3):351-363;
- 73. LaPenotiere HF et al., 1993, "Development of a molecular engineered vaccine for C. botulinum neurotoxins" in Botulinum and Tetnus Toxins (DasGupta BR, ed.) Plenum Press, New York;
- 74. Schiavo G et al., 1993, "Identification of the Nerve Terminal Targets of Botulinum Neurotoxin Serotypes A, D, and E"J. Biol. Chem. 268:23784-23787;
- 75. Shone CC et al., 1993, "Proteolytic Cleavage of Synthetic Fragments of Vesicle-Associated Membrane Protein, Isoform-2 by Botulinum Type B Neurotoxin" *Eur. J. Biochem.* 217:965-971;
- 76. Simpson LL et al., 1993, "Chelation of zinc antagonizes the neuromuscular blocking properties of the seven serotypes of botulinum neurotoxin as well as tetanus toxin" *J. Pharmacol. Exp. Ther.* 267:720–727;

77. Sreekrishna K, 1993, "Strategies for Optimizing Protein Expression and Secretion in the Methylotrophic Yeast *Pichia pastoris*," *Industrial Micororganisms: Basic and Applied Molecular Genetics*, Baltz, R. H., et al, Eds.), pp. 119-126, Am. Soc. Microbiol., Washington, DC;

NY02:374348.1 - 7 -

- 78. Ahmed SA et al., 1992, "Active-site structural comparison of streptococcal NADH peroxidase and NADH oxidase. Reconstitution with artificial flavins" *J. Biol. Chem.* 267:3832–3840;
- 79. Kurazono H et al., 1992, "Minimal essential domains specifying toxicity of the light chains of tetanus toxin and botulinum neurotoxin type A" *J Biol Chem.* 267(21):14721-14729;
- 80. Montal MS et al., 1992, "Identification of an Ion Channel-Forming Motif in the Primary Structure of Tetanus and Botulinum Neurotoxins" *FEBS* 313:12-18;
- 81. Romanos MA et al., 1992, "Foreign Gene Expression in Yeast: A Review," *Yeast*, 8:423-488;
- 82. Schiavo G et al., 1992, "Tetanus and Botulinum-B Neurotoxins Block Neurotransmitter Release by Proteolytic Cleavage of Synaptobrevin" *Nature* 359:832-835;
- 83. Schiavo G et al., 1992, "Tetanus Toxin is a Zinc Protein and its Inhibition of Neurotransmitter Release and Protease Activity Depend on Zinc" *EMBO J.* 11:3577-3583;
- 84. Whelan SM et al., 1992, "Molecular cloning of the Clostridium botulinum structural gene encoding the type B neurotoxin and determination of its entire nucleotide sequence" *Appl. Environ. Microbiol.* 58:2345-2354;
- 85. Clare JJ et al., 1991, "High-Level Expression of Tetanus Toxin Fragment C in *Pichia pastoris* Strains Containing Multiple Tandem Integrations of the Gene," *Bio/Technology* 9:455-460;
- 86. Niemann H et al., 1991, "Clostridial neurotoxins: from toxins to therapeutic tools?" *Behring Inst Mitt.* 89:153-162;
- 87. Poulain B et al., 1991, "Heterologous Combinations of Heavy and Light Chains from Botulinum Neurotoxin A and Tetanus Toxin Inhibit Neurotransmitter Release in Aplysia" J. Biol. Chem. 266:9580-9585;
- 88. Romanos MA, et al., 1991, "Expression of Tetanus Toxin Fragment C in Yeast: Gene Synthesis is Required to Eliminate Fortuitous Polyadenylation Sites in AT-rich DNA," *Nucleic Acids Res.* 19:1461-1467;
- 89. Ahnert-Hilger G et al.,1990, "Chains and fragments of tetanus toxin, and their contribution to toxicity" *J Physiol* (Paris) 84(3):229-236;
- 90. Andersson SG et al., 1990, "Codon preferences in free-living microorganisms" *Microbial. Rev.* 54(2):198–210;

NY02:374348.1 - 8 -

- 91. DasGupta BR et al., 1990, "Botulinum neurotoxin type A: sequence of amino acids at the N-terminus and around the nicking site" *Biochemie* 72:661-664;
- 92. Dekleva ML et al., 1990, "Purification and characterization of a protease from Clostridium botulinum type A that nicks single-chain type A botulinum neurotoxin into the di-chain form" *J. Bacteriol.* 172:2498–2503;
- 93. Thompson DE et al., 1990, "The complete amino acid sequence of the Clostridium botulinum type A neurotoxin, deduced by nucleotide sequence analysis of the encoding gene" *Eur. J. Biochem.* 189:73-81;
- 94. Wadsworth JDF et al., 1990, "Botulinum Type F Neurotoxin" Biochem. J. 268:123-128;
- 95. Bittner MA et al., 1989, "Isolated light chains of botulinum neurotoxins inhibit exocytosis. Studies in digitonin-permeabilized chromaffin cells" *J. Biol. Chem.* 264:10354–10360;
- 96. DasGupta BR et al., 1989, "C. botulinum neurotoxin types A and E: isolated light chain breaks down into two fragments. Comparison of their amino acid sequences with tetanus neurotoxin" *Biochimie* 71:1193–1200;
- 97. DasGupta BR, 1989, "The Structure of Botulinum Neurotoxins" *Botulinum Neurotoxin and Tetanus Toxin*, (Simpson, L.L., Ed.) Academic Press, New York, pp. 53-67;
- 98. Kozaki S et al., 1989, "Immunological characterization of papain-induced fragments of Clostridium botulinum type A neurotoxin and interaction of the fragments with brain synaptosomes" *Infect Immun.* 57(9):2634-2639;
- 99. Kozaki et al., 1989, "Antibodies against Botulism Neurotoxin", L.L. Simpson, ed. Academic Press, New York, pp. 301-318;
- 100. Makoff AJ et al., 1989, "Expression of Tetanus Toxin Fragment C in E. coli: High Level Expression by Removing Rare Condons," Nucleic Acids Res. 17:10191-10202;
- 101. Middlebrook JL, 1989, "Cell Surface Receptors for Protein Toxins" Botulinum Neurotoxins and Tetanus Toxin, (Simpson, L.L., Ed.) Academic Press, New York, pp. 95-119;

Maisey EA et al., 1988, "Involvement of the constituent chains of botulinum neurotoxins A and B in the blockade of neurotransmitter release" Eur. J. Biochem. 177:683-691;

NY02:374348.1 - 9 -

- 103. Sathyamoorthy V et al., 1988, "Botulinum neurotoxin type A: cleavage of the heavy chain into two halves and their partial sequences" *Arch Biochem Biophys.* 266(1):142-151;
- 104. Siegel LS, 1988, "Human Immune Response to Botulinum Pentavalent (ABCDE) Toxoid Determined by a Neutralization Test and by an Enzyme-Linked Immunosorbent Assay" *J. Clin. Microbiol.* 26:2351-2356;
- 105. Sreekrishna K et al., 1988, "High Level Expression of Heterologous Proteins in Methylotrophic Yeast *Pichia pastoris*," *J. Bas. Microbiol.* 28:265-278;
- Winkler HH et al., 1988, "Codon usage in selected AT-rich bacteria" *Biochimie* **70**:977–986;
- 107. Schagger H et al., 1987, "Tricine-sodium dodecyl sulfate-polyacrylamide gel electrophoresis for the separation of proteins in the range from 1 to 100 kDa" *Anal. Biochem.* 166:368–379;
- 108. Shone CC et al., 1987, "A 50-kDa Fragment from the NH₂-terminus of the Heavy Subunit of *Clostridium botulinum* Type A Neurotoxin Forms Channels in Lipid Vesicles, *Euro. J. Biochem.* 167:175-180;
- 109. Sonnabend WF et al., 1987, "Intestinal Toxicoinfection by *Clostridium botulinum* Type F in an Adult. Case Associated with Guillian-Barre Syndrome" *Lancet* 1:357-361;
- 110. Ahmed SA et al., 1986, "Identification of three sites of proteolytic cleavage in the hinge region between the two domains of the beta 2 subunit of tryptophan synthase of Escherichia coli or Salmonella typhimurium" *Biochemistry* 25, 3118–3124;
- 111. Black JD et al., 1986, "Interaction of ¹²⁵I-botulinum Neurotoxins with Nerve Terminals. I. Ultrastructural Autoradiographic Localization and Quantitation of Distinct Membrane Acceptors for Types A and B on Motor Nerves" *J. Cell Biol.* 103:521-534;
- 112. Habermann E et al., 1986, "Clostridial Neurotoxins: Handling and Action at the Cellular and Molecular Level" *Cur. Top. Microbiol. Immunol.* 129:93-179;
- 113. Simpson LL, 1986, "Molecular Pharmacology of Botulinum Toxin and Tetanus Toxin" *Annu. Rev. Pharmacol. Toxicol.* 26:427-453;
- 114. Cregg JM et al., 1985, "*Pichia pastoris* as a Host System for Transformations," *Mol. Cell. Biol.* 5:3376-3385;
- 115. Sathyamoorthy V et al., 1985, "Separation, purification, partial characterization and comparison of the heavy and light chains of botulinum neurotoxin types A, B, and E" *J Biol Chem.* 260(19):10461-10466;

NY02:374348.1 - 10 -

- 116. Schmidt JJ et al., 1985, "Partial amino acid sequences of botulinum neurotoxins types B and E" *Arch. Biochem. Biophys.* 238:544-548;
- 117. Shone CC et al., 1985, "Inactivation of *Clostridium botulinum* Type A Neurotoxin by Trypsin and Purification of Two Tryptic Fragments. Proteolytic Action Near the COOHterminus of the Heavy Subunit Destroys Toxin-Binding Activity, *Eur. J. Biochem.* 151:75-82;
- 118. Anderson JH et al., 1981, "Clinical Evaluation of Botulinum Toxoids" *Biomedical Aspects of Botulism*, (Lewis, G.E., Ed.) Academic Press, New York, pp. 233-246;
- 119. Syuto B et al., 1981, "Separation and characterization of heavy and light chains from Clostridium botulinum type C toxin and their reconstitution" *J. Biol. Chem.* 256:3712–3717;
- 120. Hatheway CL, 1976, "Toxoid of *Clostridium botulinum* Type F: Purification and Immunogenicity Studies" *Appl. Environ. Microbiol.* 31:234-242;
- 121. DasGupta BR et al., 1972, "A Common Subunit Structure in *Clostridium botulinum* Type A, B, and E Toxins" *Biophys. Res. Commun.* 48:108-112;
- 122. Midura TF et al., 1972, "Clostridium botulinum Type F: Isolation from Venison Jerky" Appl. Microbiol. 24:165-167;
- 123. Laemmli UK, 1970, "Cleavage of structural proteins during the assembly of the head of bacteriophage T4" *Nature* 227:680–685;
- 124. van Heyningen WE, 1968, "Tetanus" Sci. Am. 218:69-77;
- 125. Fiock MA et al., 1963, "Studies of Immunities to Toxins of *Clostridium Botulinum*. IX. Immunologic Response of Man to Purified Pentavalent ABCDE Botulinum Toxoid"*J. Immunol.* 90:697-702;

The referenced citations are listed in the accompanying PTO Form 1449. Copies of the references are submitted herewith.

Identification of the references listed in the attached PTO Form 1449 is not to be construed as an admission of Applicants or Attorneys for Applicants that such reference is available as "prior art" against the accompanying application.

NY02:374348.1 - 11 -

Applicants have not yet received a first Office Action on the merits. Therefore, Applicants believe that no fee is due with this submission pursuant to 37 C.F.R. §1.97(b)(3). Nevertheless, the Commissioner is authorized to deduct any fee required for this submission from deposit account number 02-4377. Two copies of this page are enclosed.

April 26, 2002

Rochelle K. Seide PTO Reg. No. 32,300

Respectfully submitted,

Attorney for Applicants BAKER BOTTS, L.L.P. 30 Rockefeller Plaza New York, NY 10112 (212) 408-2500

Enclosures

NY02:374348.1 - 12 -